



2008 Trek Mountain Bikes



Fuel EX

The definitive all-day, all-conditions trail bike, with 120mm of rear wheel travel.



Remedy

When the mountain trails get steeper, faster and rockier, the Remedy is ready with 150mm of rear wheel travel.



69er

19

37

29" front wheel and 26" rear, in singlespeed, hardtail and full suspension.



Top Fuel Race

Cross country fully-suspended race bikes—efficient and light, with 90mm of rear wheel travel.

31

51



Elite Race

Cross country OCLV Carbon performance in the lightest possible package



Hardtail

Alpha Aluminum cross country hardtails—ready for any trail adventure.



Cyclocross

Pure-bred cyclocross racing bikes.



Gravity

From the 10"-travel Session downhill bike to the hardtail, dirt-jumping Jack.



WSD

The most complete line of women's specific mountain bikes available.



Suspend Conventional Thought

Suspension Intelligence

For 2008, Trek has integrated a completely new line of technology on its Remedy and Fuel EX full suspension bikes. This technology is known as R1i.

R1i builds on the previous R1 system (rocker link, single pivot) by adding key feature technologies. From the superior braking characteristics of the patent-pending ABP, to the fully tuned Full Floater floating shock mount, to the category-leading stiffness enhancing technologies of EVO Link and E2 tapered head tube—these key technologies allow every bike equipped with R1i to offer more control in every trail condition.

ABP™ (Active Braking Pivot) - Why Skid?

Conventional designs place the rear suspension pivot either below or above the axle. Trek's new Active Braking Pivot (ABP) is a patent-pending technology that puts the rear suspension pivot concentric to the rear wheel axle. This new pivot location results in a bike with the most active suspension under braking.

Reduces Braking Forces on Suspension Braking forces cause most suspension systems to stiffen (commonly known as brake jack). When suspension stiffens, the rear wheel is not able to fully track bumps, resulting in wheel hop, increased skidding and decreased control.

Trek's new Active Braking Pivot (ABP) places the rear pivot concentric to the rear axle, which reduces the effect of braking on the suspension system. In fact, ABP creates the most active suspension under braking. Since ABP keeps suspension active, your shock doesn't "pack up" under high-frequency bumps, allowing your wheel to track every bump. The result—reduced skidding, more control, and better, more effective braking.

Perfect Suspension Balance, Front-to-Rear Since ABP allows the rear suspension to work efficiently in both braking and non-braking situations, the front and rear shocks can work together all the time. This harmony creates a perfect balance of suspension front-to-rear and adds up to better handling and more control in all situations.

It's Not More Travel - It's Smarter Travel

Full Floater™

Trek's highly successful R1 suspension system allowed our suspension designers to dial-in the rear suspension's leverage ratio (the amount a shock is compressed as a function of wheel travel) while maintaining a rigid, durable frame and swingarm structure.

The R1i system takes a huge step forward with the all-new Full Floater rear shock mounting technology.

Shock Floats on Two Moving Linkages

Fixed mount suspension designs attach the shock to one top moving link while the bottom mount is fixed to the frame. Full Floater technology connects the rear shock mounts to two moving linkages—the EVO Link on the top, and the extension of the swingarm at the bottom. The trajectory of these two attachment points adds a degree of freedom to the shock mounting system and creates a more complex leverage ratio, one that is optimized for use with an air shock.

The new system performs in a way its predecessors were not capable, providing a configuration that is active over the small stuff with good control of the mid stroke, and precise end-stroke compression.



Fixed Mount

Full Floater





Taking Stiffness To New Levels

E2 Tapered Steerer

Faster descents necessitate longer travel and a stiffer front-end to handle the bigger hits and rougher terrain. To meet the demands of these conditions, Trek introduces E2, a tapered steerer tube and head tube system that uses a larger, stronger, and stiffer 1 ^{1/2*} lower diameter steerer that transitions to a standard 1 ^{1/8*} upper. By increasing the diameter of the lower steerer tube and head tube, E2 better distributes the loads and stresses encountered in all-mountain riding. By working closely with suspension manufacturers like Fox Racing Shox and RockShox, the benefits of this design don't stop at the frame—E2 is built right into the fork design itself.

1 1/10 Isn't Enough Aggressive riders learned a long time ago that longer travel bikes require stiffness unavailable from standard 1 1/10 head tubes. While downhill-style double crown forks offer superior stiffness, they come with a weight penalty and a reduced turning radius.

1 1/2" Is Too Much With 1 1/2" head tubes, the steerer tube is rigidly supported at both ends by the headset (with a good distance between the two bearings)—there's virtually no value to having a large diameter steerer tube for its entire length. The larger steerer tube adds weight higher up on the bike that's noticeable when throwing the bike from one turn to another.

E2 Is **Just Right** By placing a larger diameter steerer tube at the bottom and a smaller diameter tube at the top, frames equipped with E2 offer higher strength and stiffness values not achievable with other single crown designs. E2 also offers a superior turning radius over a double clamp fork, which facilitates tight switchbacks that are so common in all-mountain riding.

EVO Link™

No matter how stiff a full suspension frame's front or rear triangle might be, the complete bike can only be as stiff as the connection that joins the two. The evolution of Trek's Rocker Link design involves going beyond the three-piece plate and bolt-style rocker. The EVO Link is a one-piece forged design that is lighter, stiffer, and more compact.





FRONT SUSPENSION Fox Talas RLC w/air pressure, travel, rebound, compression, lockout, alloy steerer, 90-130mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

WHEELS Bontrager Race X Lite

CRANK Shimano XTR 44/32/22

REAR DERAILLEUR SRAM X-0



Fuel EX 9.0™

FRAME OCLV Black Carbon w/Rli Trail Tuned Suspension, ABP pivol, Full Floater, Aluminum EVO Link, Hi/Lo chainslays, oversized sealed bearings, I20mm rear wheel travel

FRONT SUSPENSION Fox Talas RL w/air pressure, travel, rebound, lockoul, alloy steerer, 90-130mm

REAR SUSPENSION Fox Float RP23 w/3 position lunable Pro Pedal, custom luned

WHEELS Bontrager Race Lite

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Onyx Carbon





Fuel EX 8™

FRAME Alpha Red Aluminum w/R1i Trail Toned Suspension, ABP pivol, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom luned

WHEELS Bontrager Race

CRANK Shimano, Deore LX 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Gloss Black/Platinum Silver



Fuel EX 8™

FRAME Alpha Red Aluminum w/RIi Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Bontrager Race

CRANK Shimano Deore LX 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Salin Khaki Green/White



Fuel EX 7™

FRAME Alpha Red Aluminum w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION RockShox Recon 351 Solo Air w/positive air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 130mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal. rebound, custom tuned

WHEELS Bontrager Select

CRANK Shimano M542 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 18.5, 19.5, 21.5"

COLOR Satin Silver/Satin Black



Fuel EX 6.5™

FRAME Alpha Red Aluminum w/RI Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

FRONT SUSPENSION Recon 335 Solo Air w/positive air pressure, rebound, TurnKey lockout, alloy steerer, 130mm

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned

WHEELS Shimano Deore disc hubs, Bontrager

CRANK Shimano MS21 Octalink 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5°

COLOR Satin Deep Blue



Fuel EX 5.5™

FRAME Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, I20mm rear wheel travel

FRONT SUSPENSION RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm

REAR SUSPENSION Fox Float R w/rebound, custom tuned

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR SRAM X-7

SIZES 15.5, 17.5, 19.5, 21.5" COLOR Metallic Black





Remedy 9™

FRAME Alpha Red Aluminum w/R1i All-Mountain Tuned Suspension, ABP, Full Floater, Aluminum EVO Link, E2 tapered head tube, 150mm rear wheel travel

FRONT SUSPENSION Fox 36 Float RC2 w/air pressure, E2 tapered steerer tube, high speed and low speed compression, rebound, 20mm QR thru axle, 160mm travel



Remedy 7™

FRAME Alpha Red Aluminum w/Rli All-Mountain Tuned Suspension, ABP, Full Floater, Aluminum EVO Link, E2 tapered head tube, 150mm rear wheel travel

FRONT SUSPENSION RockShox Lyrik IS Solo Air w/E2 lapered steerer lube, 20mm thru axie maxle, 160mm travel

REAR SUSPENSION Fox RP2 XV

WHEELS Bontrager Rhythm

CRANK Shimano M542 44/32/22

REAR DERAILLEUR Shimano

Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Platinum Silver/Metallic Black







Top Fuel 69er™

FRAME Alpha Red Aluminum w/hydrolormed top tube, bi-axial down tube, Ri Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

FRONT SUSPENSION Fox F29 IOORL w/air pressure, rebound, lockoul, alloy steerer, 100mm, 51mm offset

REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom luned

WHEELS Bontrager Race; 29" front, 26" rear

CRANK Shimano Deore LX 44/32/22



69er 3x9™

FRAME Alpha Red Aluminum w/internally and externally relieved head tube. hydroformed top tube, bi-axial down tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts

FRONT SUSPENSION Fox F29 100RL w/air pressure, rebound, lockout, alloy steerer, 100mm, SImm offset

WHEELS Bontrager Race; 29" front, 26" rear

CRANK Shimano Deore 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Gloss White







Top Fuel 9.8™

FRAME OCLV Black Carbon w/R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

FRONT SUSPENSION Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned

WHEELS Bontrager Race Lile

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano

SIZES 15.5, 17.5, 19.5, 21.5"



Top Fuel 8™

FRAME Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel FRONT SUSPENSION Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom luned WHEELS Bontrager Race CRANK Shimano Deore LX 44/32/22 REAR DERAILLEUR Shimano Deore XT "Shadow" SIZES 15.5, 17.5, 19.5, 21.5" COLOR Pearl While/ Chi Red

Top Fuel 7[™]

FRAME Alpha Red Aluminum w/hydroformed top lube, bi-axial down tube, R1 Race Tuned Suspension, pivolless rear swingarm, Hi/Lo chainslays, oversized sealed bearings, 90mm rear wheel travel FRONT SUSPENSION Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm REAR SUSPENSION Fox Float RP2 w/Pro Pedal, rebound, custom tuned WHEELS Bontrager Select CRANK Shimano M542 44/32/22 REAR OERAILLEUR 5RAM X-9 SIZES 15.5, 17.5, 19.5, 21.5" COLOR Metallic 8lack/ Metallic Silver

Elite 9.9 SSL"

FRAME OCLV Red Carbon

FRONT SUSPENSION RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, remote lockout, 85mm

WHEELS Bontrager Race X Lite

CRANK Bontrager Race XXX Lite Carbon 44/32/22

REAR DERAILLEUR SRAM X-0

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Onyx Carbon

Frame available in Pearl White/Chi Red.



Elite 9.8"

FRAME OCLV Black Carbon FRONT SUSPENSION Fox 32 F80 RL w/air pressure, rebound, lockout, alloy steerer, 80mm WHEELS Sontrager Race Lile CRANK Shimano Deore XT 44/32/22 REAR DERAILLEUR Shimano Deore XT "Shadow" SIZES 15.5, 17.5, 19.5, 21 5" COLOR Onyx Carbon/Pearl White

Elite 9.7™

FRAME OCLV Black Carbon

FRONT SUSPENSION RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 80mm WHEELS 8ontrager Race CRANK Shimano MS42 44/32/22

Deore XT "Shadow" SIZES 15.5, 17.5. 19 5, 21.5"

COLOR Onyx Carbon/Carrera 8lue







8000

FRAME Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts

FRONT SUSPENSION RockShox Reba SL w/positive and negative air pressure, Molion Control, rebound, compression, lockout, alloy steerer, 100mm

WHEELS Bontrager Race

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow"

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Satin Silver/ Satin Blue



6700"

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm

WHEELS Shimano M525 disc hubs; Bontrager Ranger rims

CRANK Shimano M521 Octalink 44/32/22

REAR DERAILLEUR SRAM X-9

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Pearl White/ Platinum Silver



6500™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts FRONT SUSPENSION RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm WHEELS Shimano Deore disc hubs; Bontrager Ranger rims CRANK Shimano M442 Octalink 44/32/22 REAR DERAILLEUR Shimano Deore LX SIZES 15.5, 17.5, 19.5, 21.5" COLOR Salin Silver

6500"

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm

WHEELS Shimano Deore disc hubs; 8ontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Pearl White/ Metallic Black



6000™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm

WHEELS Shirmano M475 disc hubs, Bontrager Ranger rims

CRANK Shirmano M442 Octalink 44/32/22

REAR DERAILLEUR SRAM X-5

SIZES 15.5, 17.5, 19.5, 21.5"

COLOR Satin Black



6000™

FRAME Alpha Black Aluminum wylexternally releved haad tube, hydroformed bi-axial down tube and top Lub- monstal y seal stays, forged disc ready dropouls
FRONT SUSPENSION RockShox Dart 3 wy/preload, lockout, alloy steerer, IOOmm
WHEELS Shimano M475 disc hubs: Bontrager Ranger rims
CRANK Shimano M442 Octalink 44/32/22
REAR DERAILLEUR SRAM X-5
SIZES 15-5, 17-5, 19-5, 21-5*
COLOR Trek Red/Pearl White

4500"



4500™



4300 Disc™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydrolormed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RST Gila T8 w/preload. 100mm

WHEELS Shirmano M65 disc hubs; Bontrager Ranger rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shimano Alivio

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Silver/Black Chrome



4300"

FRAME Alpha Black Aluminum w/externally relieved head tube, hydrolormed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RST Gila T8 w/preload,

WHEELS Alloy front hub, Shimano RM30 rear hub; Bontrager Camino rims

CRANK SR Suntour XCC-TIO2 42/34/24
REAR DERAILLEUR Shimano Alivio

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Malle Orange/ Matte Warm Silver



4300

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seal stays, forged disc ready dropouts

FRONT SUSPENSION RST Gila T8 w/preload, 100mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Bontrager Camino rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shimano Alivio

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Silver/Black Chrome



3900

FRAME Alpha White Aluminum w/externally relieved head tube. bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour XCT V2 w/probas 80mm

WHEELS Alloy front hub, Shimana RM30 rear hub; Matrix 550 rims

CRANK SR Suntour XCC-Ti02 42/34/24

REAR DERAILLEUR Shimana Acera

SIZES 13, 16, 18, 19, 5, 21, 22.5*

COLOR Mattle Black/
Mattle Smooth Sfiver

3900™

FRAME Alpha White Aluminum w/externally releved head tube, bi-axial down lube, disc compatible dropous.

FRONT SUSPENSION SR Suntour XCT V2 w/preload, 80mm
WHEELS Allay front hub, Shimano RM30 rear hub; Marix 550 rims
CRANK SR Suntour XCC-T102 42/3d/2d
REAR DERAILEUR Shimano Acera
SIZES 13, 16, 18, 19, 5, 21, 22-5
COLOR Metallic Blue/Silver

3700™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour M-2025,

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

REAR DERAILLEUR Shimano Acera

SIZES 13, 16, 18, 19.5, 21, 22.5"

COLOR Trek Red/Pearl While



3700

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouls

FRONT SUSPENSION SR Suntour M-2025. 63mm

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

REAR DERAILLEUR Shimano Acera

SIZES 13, 16, 18. 19.5, 21, 22.5"

COLOR Matte Black/ Matte Lava Black



820[™]

FRAME High tensile steel w/Cro-Moly seal tube
FRONT SUSPENSION SR Suntour M-2025,
63mm
WHEELS Alloy hubs; Matrix 550 rims
CRANK SR Suntour XCC-T208 48/38/28
REAR DERAILLEUR Shimano Acera
SIZES 12, 16 18, 19 5, 21*
COLOR Gloss Black/Gloss White

820™

FRAME High tensile steel vy/Crc-Moly seat tube
FRONT SUSPENSION SR Suntour M-2025.
6-3inm
WHEELS Alloy liubs; Matrix 550 rims
CRANK SR Suntour XCC-T208 48/38/28
REAR DERAILLEUR Shimano Acera
SIZES 13, 16, 18, 19.5, 21*
COLOR Matte Navy/Matte Bluegray



XO2TH

FRAME Alpha Black Aluminum

FORK Bontrager Satellite Plus, carbon

WHEELS Bontrager Race X Lite

CRANK Bontrager Race Lite CX 46/38

REAR DERAILLEUR SRAM Rival

SIZES 50, 52, 54, 56, 58, 60, 62cm

COLOR Pearl White

Frameset available.



XO1™

FRAME Alpha Black Afurninum

FORK Bontrager Satellite Plus, carbon
WHEELS Bontrager Race
CRANK Bontrager Race CX 46/38

REAR DERAILLEUR Shimatio 105

SIZES 47, 50, 52, 54, 56, 58, 60, 62cm
COLOR Matte Onyx







Jack 2™

FRAME Alpha White Aluminum

FRONT SUSPENSION Manitou State Comp FFD,

WHEELS Shimano M475 disc hubs; Sun Ditch Witch rims

CRANK Bontrager Big Earl 42/32/22

REAR DERAILLEUR Shimano Alivio

SIZES S, M, L



Jack 1™

FRAME Alpha White Aluminum

FRONT SUSPENSION RST Gila T7 w/preload, 100mm

WHEELS Shimano M475 disc hubs; Bontrager Camino rims

CRANK Shimano M341 42/32/22

REAR DERAILLEUR Shimano Acera

SIZES S, M, L

COLOR Gloss Navy







Top Fuel 9.8 WSD™

FRAME OCLV 8lack Carbon w/R1 Race Tuned Suspension, pivotless rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

FRONT SUSPENSION Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm

REAR SUSPENSION Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned

WHEELS 8ontrager Race Lite

CRANK Shimano Deore XT 44/32/22

REAR DERAILLEUR Shimano Deore XT "Shadow" SIZES Women's 15.5, 17.5, 19.5" COLOR Onyx Carbon/ Satin Silver

Fuel EX 5.5 WSD™

FRAME Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel trave!

FRONT SUSPENSION RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm

REAR SUSPENSION Fox Float R w/rebound, custom tuned

WHEELS Shimano M475 disc hubs; Bontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR SRAM X-7

SIZES Women's 14, 16, 18"

COLOR Pearl White/ Metallic Black





6700 WSD™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down lube and top tube, monostay seat stays, lorged disc ready dropouts

FRONT SUSPENSION RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm

WHEELS Shimano M525 disc hubs; Bontrager Ranger rims

CRANK Shimano M521 Octalink 44/32/22

REAR DERAILLEUR SRAM X-9

SIZES Women's 14, 16, 18"

COLOR Sport Blue/Light Blue





6500 WSD"

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm

WHEELS Shimano Deore disc hubs; Bontrager Ranger rims

CRANK Shimano M442 Octalink 44/32/22

REAR DERAILLEUR Shimano Deore LX

SIZES Women's 14, 16, 18" COLOR White/Gray





4500 WSD™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RockShox Darl 3 w/preload, lockout, custom spring weight, alloy steerer, 100mm

WHEELS Alloy front hub, Shimano RM30 rear hub; Bontrager Camino rims

CRANK Shimano M341 42/32/22

REAR DERAILLEUR Shimano Deore

SIZES Women's 14, 16, 18" COLOR Light Green/

Metallic Black





4300 WSD™

FRAME Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube. monostay seat stays, forged disc ready dropouts

FRONT SUSPENSION RST Gila T8 w/preload, custom spring weight, 100mm

rear hub, Bontrager Carnino rims

REAR DERAILLEUR Shimano Alivio

SIZES Women's 14, 16, 18"

COLOR Light Purple/Pearl White





3900 WSD"

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour XCT V2 w/preload, custom spring weight, 80mm

WHEELS Alloy Iront hub, Shimano RM30 rear hub; Matrix 550 rims

CRANK SR Suntour XCC-T102 42/34/24

REAR DERAILLEUR Shirmano Acera

SIZES Women's 13, 16"

COLOR Metallic Black/Grey





3700 WSD™

FRAME Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

FRONT SUSPENSION SR Suntour M-2025, custom spring weight, 63mm

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

SIZES Women's 13, 16, 19.5"

COLOR Pearl White/Green





820 WSD™

FRAME High tensile steel w/Cro-Moly seat tube

FRONT SUSPENSION SR Suntour M-2025. custom spring weight, 63mm

WHEELS Alloy hubs; Matrix 550 rims

CRANK SR Suntour XCC-T208 48/38/28

REAR DERAILLEUR Shimano Acera

SIZES Wernen's 13, 16"

COLOR Light Blue/Pearl White





		FUEL EX			FUEL EX 8	FUEL EX 8 WSD
	Model	FUEL EX 9.5	FUEL EX 9.0	FUEL EX 9	FUEL EX 8	FOLL EX O WOD
_	Sizes	15.5, 175, 18 5, 19 5, 21 5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14, 16, 18"
	Colors	Onyx Carbon (frame available)	Onyx Carbon	Pearl White/Metallic Black	Gloss Black/Platinum Silver or Satin Khaki Green/White	Pearl White/Iris Blue
FRAMESEI	Frame	OCLV Black Carbon w/Rit Trail Tuned Suspension, ABP pivot, Full Floater, Magnesium EVO Link, HI/Lo chainstays, overszed soaled bearings, 120mm rear wheel travel	OCIV Black Carbon w/Rti Itali Turned Suspension, ABP pivot, Full Fleater, Alumbium EVO Link, Hy/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/Rii Teali Tuned Suspension, ABP pivot, Fulf Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm sear wheel travel	Alpha Red Aluminum w/Rh Tail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, HI/Lo chainstays, oversized sealed bearings, V20mm near wheel travel	Alpha Red Aluminum w/Rhi Trait Tuned Suspension, ABP pivot Full Floater, Aluminum EVO Unik, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel
I	Front Suspension	For Talas RLC w/air pressure, travel, rebound, compression, lockout, alloy steers, 90-130mm	Fox Talas Rt. w/air pressure, travet, rebound, lockout, alloy steerer, 90-130mm	Fox Talas RL w/air pressure, travel, rebound, lockout, alloy steerer. 90-130mm	Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm	Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm
	Rear	Fox Float RP23 w/3 position tunable Fro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pm Pedal, rebound, custom tuned	Fox Float RPZ w/Pro Pedal, rebound, custom tuned
	Suspension	Bont ager Race X Lite	Sontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race
WHEELS	Wheels	Bontrager Junes XR, 26×2.2/2.25 ; 120 tp., folding	Bontrager Jones XR, 26x2.2/2.25 ; 120 tot, folding	Bontrager Jones XR, 26x2.2/2 25°, 120 tpi, folding	Bontrager Jones XR, 26x2.2/2 25 , 120 tpi, folding	Bontrager Jones XR, 26x2 2/2 25"; 120 tp., folding
7.0	Shifters	SRAM X-0, 9 speed w/MatchMaker	Shimano Deore XT, 9 speed	SRAM X-9, 9 speed w/Match/Maker	Shimano Deore LX, 9 speed	Shimano Deore LX, 9 speed
	Front	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
AN	Derailleur Rear Derailleur	SRAM X-0	Shimano Deore XT "Shadow"	SRAM X-0	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"
DRIVETRAIN	Crank	Shimano XTR 44/32/22	Shimang Deore XT 44/32/22	Stemano Deore XT 44/32/22	Shirmane Deore LX 44/32/22	Shirnano Deore LX 44/32/22
DR.	Cassette	Shimano XTR 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG950 11-32, 9 speed
	Pedals	n/a	n/a	n/a	Shimano MS20, clipless	Shimano M520, clipless
	Saddle	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race Lux FIT
	Seatpast		Bontrager Race Like	Bontrager Race Lite	Bontrager Race	Bontrager Race
SINIS	Handlebars	Bootsame Pace XXX Life, 40mm rise,	Borkrager Race X Lite, 40mm rise, 31.8mm	Bontrager Race Lite, 40mm rise, 31 8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm
COMPONENTS	Stem	Pontstone Race XXX Lite. 12 degree.	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm		Bontrager Race. 7 degree, 31 8mm
COM	Headset	Cane Creek 5-8 w/cartridge bearings,	Cane Creek 5-3 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset w/cartridge bearings, sealed, alloy	Ahoadset w/cartridge bearings, sealed alloy
	Brakeset	Avid Juicy Ultimate, hydraulic disc.	Shimano X3, hydraulic disc; 180mm roturs (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	And Juicy 7, hydraulic disc, 185mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Avid Juicy 5, hydraulic disc; 185mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Avid Juicy 5, hydraulic disc. 160mm rotors

		This is a second				69ER
	W 10.5	FUEL EX	FUEL EX 6.5	FUEL EX 5.5	FUEL EX 5.5 WSD	69ER SINGLE SPEED
1/1	Model	FUEL EX 7	Market No. October	15.5, 17.5, 19.5, 21.5*	Women's 14, 16, 18"	17.5, 19.5, 21.5*
	Sizes	15.5, 17.5, 18.5, 19.5, 21.5	15.5, 17.5, 19.5, 21.5"		Pearl White/Metallic Black	Matte Root Beer (frame available
	Colors	Satin Silver/Satin Black .	Satin Deep Blue	Metallic Black	Tradit Trincy Includes a second	Alpha Red Aluminum w/internally
FRAMESET	Frame	Alpha Red Aluminum w/R11 Yail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized seafed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 fluid fluined Suppension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Irall Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Itrail Turned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	and externally relieved head tube, hydroformed bi-axial dewn tube and top tube, wishbone seat stay, hydroformed chainstays, asymmetric seat tube, lorged horizontally adjustable disc dropouts
표	Front Suspension	RockShox Recon 351 Solo Air w/positive air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 130mm	Recon 335 Solo Air w/positive air pressure, rebound, TurnKey lockout, alloy steerer, 130mm	RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm	RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm	Maverick Custom Double crown, 100mm
	Rear	Fox Float RP2 w/Pro Pedal, rebound,	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	Fox Float R w/rebound, custom tuned	Fox Float R w/rebound, custom tuned	n/a
10	Suspension	custom tuned Bontrager Sciect	Shimano Decine disc hubs; Bontrager Ranger rims	Shirmano M475 disc hubs; Bontrager Ranger rims	Shimano M475 disc hubs; Bontrager Ranger rims	Bontrager Race X Lite Single Speed, 29" front, 26" rear
WHEELS	Tires	Bontrager Jones XR, 26x2 2/2 25":	Bontrager Jones XR, 26x2.2/2.25"; 60 tor, folding	Bontrager Jones XR, 26x2 2/2.25"; 27 to	Bontrager Jones XR, 26x2.2/2.25"; 27 tpi	Bontrager Jones ACX, 29x2.2" front, 26x2 2" rear; 120tpi, folding
*	3315	60 tpi, folding Shimana Deore, 9 speed	Shirmano Deore, 9 speed	SRAM X-5, 9 speed	SRAM X-5, 9 speed	n/a
	Shifters Front	Shimano Deore, 9 Spiresi Shimano Deore	Shirmano Deore	Shimano Deore	Shimano Deore	19/3
AIN	Deroilleur Reor	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	SRAM X-7	SRAM X-7	n/a
DRIVETRAIN	Derailleur Crank	Shimano MS42 44/32/22	Shimano M521 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Bontrager Race Lite Single Speed, 327
G	Cosselle	SRAM PG950 II-32, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	Bontrager 16T w/cog chainguide
	Pedols	Shimano M505, clipless	Shimano M505, clipless	Alloy platform w/clips and straps	Alloy platform withips and straps	n/a
	Saddle		Bontrager Race Basin:	Bontrager Race Basic	Bontrager Select FiT	Bontrager Race Lite:
	Seatpost	-	Bontrage: Select	Be ntrager Sport	Bontrager Sport	Bontrager Race Lite
NTS	Handlebars		Bontrager Select, 25mm rise, 3/1.8mm	Bontrayer Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Raije Litte Big Sweep, Omm rise, 31.8mm
ONE	Stem	w 04-2	Boretrager Select, 7 degreet, 31 form	Bontrager Sport, 10 degree	Bontrager Sport, 10 degree	Maverick DUC 32, 25 degree, 31.8mm
COMPONENTS	Heodse	Aheadset w/cartridge bearings, sealed,	Aheadiet w/se mi-cartridge bearings,	Absorbed w/semi-cartridge bearings, scaled	Aherdsel w/semi-cartridge bearings. sealed	Care Creek S-3 w/cartridge bearings, sealed
10.7	Brokese	Avid Juley 3, hydraulic disc:	Avid Juicy 3, hydraulic disc; 185mm rotors (160mm rear roter on 15.5, 17.5, 18.5" sizes)	Avid BB-5, mechanical disc w/alloy levers; M5mm rotors (160mm rear rotor on 15.5, 17.5, 18.5" sizes)	Avid BB-5, mechanical disc w/sliny levers; 160mm rotors	Avid Juicy 7, hydraulic disc, 160mm rotors

REMEDY	69ER
--------	------

		REMEDY			OVER	
H	Model	REMEDY 9	REMEDY 8	REMEDY 7	TOP FUEL 69ER	69ER 3X9
	Sizes	15.5, 17.5, 19.5, 21.5	15.5, 17.5, 19.5, 21.5"	15 S, 17 S, 19 S, 21.5°	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Black/Pearl White	Matte Orange/Root Beer	Platinum Silver/Metallic Black	Gloss Black	Gloss White
FRAMESET	Frome	Alpha Red Aluminum W/Rii All-Mountain Tuned Suspension, ABP, Full Fluster, Aluminum EVO Link, E2 topened head tube, 150mm rear wheel travel	Alpha Red Aluminum: W/R1 All-Mountain Tuned Suspension, A8P, Full Floater, Aluminum EVO Link, E2 tapened head tube, 150mm rear wheel travel	Alpha Red Aluminum w/RII All-Mountain Tuned Suspension, ABR, Full Floater, Alarminum EVO Link, E2 tapered head tube, 150mm rear wheel travel	Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, R1 Recz Turned Suspension, pivotless rear sortigarm, Hi/Lp chamitaps, oversized sealed bearings, 90mm rear wheel travel	Alpha Red Aluminum w/internally and externally selleved head tube. Institutioned top tube, biraskal down tube, wishbone seat stay, hydrotome chainstays, forged and refered discready dropouts.
	Frant Suspension	Fox 36 Float RC2 w/sir pressure, E2 tapezed sterrer tube, high speed and low speed compression, rebound, 20mm QR thru axle, 160mm travel	RockShox Lyrik 2-Step w/E2 tepered Heaver tube, 20mm thru axle maxis. 115-160mm travel	RockShax Lynk IS Salo Air w/EZ tapered steerer tube, 20mm thru axie maxie, 160mm travel	Fox F29 100RL w/air pressure, rebound, lockout, alloy sterrer, 100mm, Street offset	Fox F29 TOORL w/air pressure, rebound, locknut, afley steerer, 100ms Simm offset
	Rear Suspension	Fox RP23 XV	Fox RP23 XV	Fux RP2 XV	Fox Float N/2 w/Pro Pedal, rehound, custom funed	n/a
ELS	Wheels	Bontrager Rhythm Elite	Bontrager Rhythm Comp	Bontrager Rhythm	Bontrager Race, 29" front, 26" rear	Bontrager Race; 29" front, 26" rear
WHEELS	Tires	Bontrager Jones ACX, 26x2 35*; 120 tpl. folding	Bontrager Jenes ACX, 26x2 35*, 120 tpt, folding	Bontrager Jones ACX, 26x2 35 120 tpi, folding	Bontrager Juney XR, 29 2 25 front. 26x2 2 rear, 120tp, folding	Bootrager Jones XR 29x2 25 front, 26x2 2 mar, 120mp, folding
	Shifters	SRAM X-0, 9 speed w/MatchMaker	Shimano Deore XT, 9 speed	Shiesano Deore LX, 9 speed	SRAM X-7, 9 speed	Shimano Deore LX, 9 speed
	Frant Derailleur	Shimano Degre XT	Shimano Deoce XT	Shimado Deore LX	Shimano Deore LX	Shimang Deore LX
DRIVETRAIN	Rear Deroilleur	SRAM X-O	Shimario Deore XT "Shadow"	Shimano Deore XT "Shadow"	SRAM X-O	Stimano Deore XT "Shadow"
RIVE	Crank	Shimano Deore XT M770 44/32/22	Stemano Deore XT 44/3Z/2Z	Shimano M542 44/32/22	Shimana Dirate LX 44/32/22	Shimano Deore 44/32/22
_	Cassette	5RAM PG970 11-32, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG950 11-32, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG970 11-32, 9 speed
	Pedals	n/a	n/a	n/a	n/a	0/0
	Saddle	Bontrager Rhythm Pro	Bontrager Rhythm	Bonkrager Rhythm Basic	Bontrager Ryce	Bontrager Race
40	Seatpast	Bontrager Race Litin	Bontrager Race Lite	Bontrager Race	Bontrager Race Lite	Bontrager Race Lite
NENTS	Handlebors	Bontrager Race Lite. 40mm rise, 31 8mm	Bootrager Race, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race. 40mm risé, 31.8mm
COMPONENTS	Stem	Bontrager Race Life, 7 degree, 31.8mm:	Bontrager Race Lite, 7 degree, 31.8mm	Bontrager Race, 7 degrees, 318mm	Bontrager Race, 7 degree, 31 Smin	Bontrager Race, 7 degree, 31.8mm
8	Heodset	Custom Cane Creek E2 Light Edition: 1.125° top, 1.5" bottom	Custom Cane Creek E2 Light Edition; 1.125" top, 1.5" bottom	Custom Cane Creek E2 Light Edition, 1,125" top, 1.5" bottom	Cane Creek 25-2 w/cartridge bearings, sealed	Cane Creek ZS-2 nobartridge bearings, sealed
	Brakeset	Avid Juicy Carbon, hydraulis disc, 203mm front, 185mm rear rotor	Shimano Deore XT, hydraulic disc, 203mm front, 180mm ear rotor	Avid Juicy 3, hydraulic disc, 203mm front, 185mm rear rotor	Avid Juicy 5, hydraufic disc: 160mm rotors	Avid Juny 5, hydraulic disc; 185mm front, 160mm rear rotor

		TOP FUEL				
	Model	TOP FUEL 9.9 SSL	TOP FUEL 9.8	TOP FUEL 9.8 WSD	TOP FUEL 8	TOP FUEL 7
	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5	Women's 15.5, 17.5, 19.5	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5
	Colors	Onyx Carbon or Pearl White/Chi Red (frame unity)	Onyx Carbon/Carrera Blue (frame available)	Onyx Carbon/Satin Silver	Pearl White/Chi Red	Metallic Black/Metallic Säver
FRAMESET	Frame	OCLV Red Carbon w/R1 Race Tuned Suspension, phothess rear swingarm, H/Lo charistays, oversized sealed bearings, 90mm rear wheel travel	OCLV Black Carbon w/Rt Rare Tuned Suspension, proffless rear swingarm, Hr/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	OCLV Black Carbon w/RI Rare Tuned Suspension, pivotless rear swingare, Hi/To chainstays, oversized scaled bearings, 90mm rear wheel travel	Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, Rt Ruce funed Suspension, procless near swingarm, Hi/Lo chainstays, oversized scaled bearings. 90mm rear wheel travel	Alpha Red Aluminum w/hydroformed top tube, bi-axial down tube, R1 Race Turned Suspension, proofless rear swingarm, Hb/Lo chainstays, oversized scaled bearings, 900mb near wheel trave
FR	Front Suspension	RockShox Reba World Cup w/positive and negative air pressure. Motion Control. Roodgate, compression, rebound, ternote lockout, carbon crown and steerer, 100mm	Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm	Fox 32 F100 RLC w/air pressure, europression, rebound, lockout, alloy steerer, 100mm	Fox 32 F100 RL w/air pressure, rebound, lockour, alloy steerer, 100mm	Fox 32 F100 RL w/air pressure, rebound, lockout, alloy sleever, 100mm
	Rear Suspension	Fox Float RP23 w/3 position tunable Pro Fedal, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position funable Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedat, rebound, custom tuped	Fox Float RP2 w/Pro Pedal, rebound, custom tuned
ELS	Wheels	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Select
WHEELS	Tires	Bontrager Dry X 26x2.1"; 120 tpi, folding	Bontrager Jones XR, 26x2 2/2 25"; 120 tpi, folding	Bontrager Junes XR, 26x2 2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2 2/2 25"; 120 tp. folding	Bontrager Jones XR, 26x2.2/2.25", 60 tpl. folding
	Shifters	Shimano XTR, 9 speed	Shimano Deore XT, 9 speed	Shimano Deore XT, 9 speed	Shimano Deore LX, 9 speed	SRAM X-7, 9 speed
	Front Derailleur	Shimano XTR	Shimano Decre XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
RAIN	Rear Derailleur	Shimano XTR "Shadow"	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	Shisnano Deore XT "Shadow"	SRAM X-9
DRIVETRAIN	Cronk	Bontrager Race XXX Lite Carbon, 44/72/22	Shirnano Degre XT d4/32/22	Shimano Decre XT 44/32/22	Shimano Deove LX 44/32/22	Shimano M542 44/32/27
_	Cassette	Shimbeo XTR 11-32, 9 spend	SRAM PG970 II-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG950 11-32, 9 speed
	Pedals	n/a	0/0	n/a	n/a	n/a
	Saddle	Bontrager Race X Lite Pro	Bontrager Race Lite	Bontrager Race Life FiT	Bontrager Race	Bontrag er Race
-	Seotpost	Bontrager Race X Like ACC carbon	Bontrager Race X Life ACC carbon	Bonfrager Race X Lite ACC carbon	Bontrager flace: Lite	Bontrager Select.
COMPONENTS	Hondlebars	Bontrager Race XXX Lite carbon, Ommirse, 31.8mm	Boritrager Race X Little Carbon, Octon rise, 31.8 mm	Bontrager Race X Ute carbon, Omm rise, 31.8mm	Bontrager Race, Omm rise, 31.8mm	Bontrager Race, Omini rise, 31 Smin
MPO	Stem	Bonfrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 dagree, 31.8 mm	Bontrager Race X Lite, 7 degree, 318mm	Bontrager Race, 7 degree, 3) 8mm	Bontrager Select, 7 degree, 31 8mm
8	Headset	Cane Creek \$-8 w/carindge bearings, sealed	Care Creek S-3 w/cartridge believings, sealed	Cane Creek S-3 w/cartridge bearings, spaled	Afreadset w/cartn age bearings, sealed, alloy	Ahredset w/cartridge bearings, sealed
	Brokeset	Shirmano XTR, hydravalic disc; 180mm front, 160mm rear rotor	Shirmano XT, hydraulic disc, 180mm front, 160mm rear votor	Shirmano XT. hydraulic disc. 360mm rotors	Awd Juicy 5, hydraulic disc; 185mm front, 160mm rear noter	Avid Juicy 3, hydraulic discretiscre

	SD)	

		9 SERIES		A SERVED		
	Model	ELITE 9.9 SSL	ELITE 9.8	ELITE 9.7	8500	8000
	Sizes	15.5, 17.5, 19.5, 21.5	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 175, 19.5, 21.5
	Colors	Onyx Carbon or	Onyx Carbon/Pearl White	Onyx Carbon/Carrera Blue	Onyx/Metallic Black	Satin Silver/Satin Blue
FRAMESET	Frame	Peart White/Chi Red (frame only) OCLV Red Carbon	OCEV Black Carbon	OCEV Black Carbon	Alpha Red Aluminum w/internally and externally telieved head tube, hydroformed bi axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts	Alpha Red Aluminum w/internally and externally relieved head fulco. Hydroformad bi-asial down tube and top tube, wishbone seet stay, hydroformed chainstays, forged and relieved disc ready dropouls.
	Front Suspension	RockShox Reba World Cup w/positive and negative air pressure. Motion Control. floodgate, compression, rebound, carbon crown and steerer, remote lockout. 85mm	Fox 32 F80 Rt. w/air pressure, rebound, lockout, alloy steerer, S0mm	RockShox Roba St. w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, BOmm	Fox 32 F100 RL w/bir pressure, rebound, locknut, alloy steerer, 100mm	RockShox Reba St. w/positive and negative air pressure, Motion Control, rebound, compression, lockbox, alloy steerer, 100mm
S	Wheels	Bontrager Race X Lite	Bontrager Race Life	Bontrager Race	Bontrager Race Life	Bontrager Race
WHEELS	Tires	Bontrager Race Dry X 26x2 1"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25*. 120 tp. folding	Bontrager Jones XR, 26x2 2/2.25*; 60 tp., folding	Bontrager Jones XR, 26x2 2/2.25°, 120 tp. folding	Bontrager Jones XR, 26x2 2/2.25°, 60 tpi, folding
	Shifters	SRAM X-0, 9 speed w/MatchMaker	Shimano Deore XT, 9 speed	Shimano Deore LX, 9 speed	Shimano Deore XT, 9 speed	Shirnano Deore LX, 9 speed
	Frant Derailleur	Snimano XTR	Shimano Deore XT	Shimano Deore LX	Shimano Deore XT	Shimano Deore LX
MA	Rear	SRAM X-0	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	Stirmano Deore XT "Shadow"
DRIVETRAIN	Crank	Bontrager Race XXX Lite Carbon 44/32/22	Shimano Deore XT 44/32/22	Shimano M542 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22
ā	Cassette	Shimano PG990 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed
	Pedals	n/a	1/2	n/a	n/a	n/a
157	Saddle	Bontrager Race X Lite Pro	Bontrager Race Lite	Bontragur Race	Bontrager Race Lite	Bontrager Race
	Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race X Lite ACC carbon	Bontrager Race Lite	Bontrager Race X Lite ACC carbon	Bontrager Race Lite
COMPONENTS	Handlebars	Bontrager Race XXX Lite carbon, Omm rise, 31 8mm	Bontrager Race X Lite carbon, Omm rise, 31.8mm	Bontrager Race, Omm rise, 31.8mm	Bontrager Race Lite, Omm rise, 31 8mm	Bontrager Race, Omm rise, 31.8mm
MPO	Stem		Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31 8mm
8	Heodsel	Cane Creek 5-8	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset Sirnstak w/tartridge bearings, sealed, alloy	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset Slimstak w/cartridge bearings, sealed, afloy
	Brakeset	Avid Juicy Ultimate, hydraulic disc, 160mm front, 140mm rear rotor	Shumano XT, hydraulic disc; 160mm rotors	Avid Juicy 5, hydraulic disc, 160mm rotors	Shimano XT, hydraulic disc; 180mm front, 160mm rear rotor	Avid Juicy 5, hydraulic disc: 185mm front, 160num rear rotor

		6 SERIES			PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS	200000
	Model	6700	6700 WSD	6500	6500 WSD	6000
	Sizes	15.5, 17.5, 19.5, 21.5°	Women's 14, 16, 18"	15.5, 17.5, 19.5, 21.5"	Women's 14, 16, 18"	15 5, 17 5, 19 5, 21.5*
	Colors	Pearl White/Platinum Silver	Sport Blue/Light Blue	Satin Silver or Pearl White/Metallic Black	White/Gray	Satin Black or Trek Red/Pearl White
FRAMESET	Frame	Alpha Black Aluminum w/externally releved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tobe, hydroformed bi-axial down tube and top tube, monostay seat stays, lorged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroturned bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/esternally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts
	Front Suspension	RockShox Recon St. w/preload, rebound, TurnKey lockout, alloy steerer, 100mm	RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm	RockShox Tora 302 Solo Air w/positive air pressure, rebound. TurnKey locksut, 100mm	RockShox Tore 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm	RockShox Dart 3 m/pzeload, lockput, alloy steerer. 100mm
S	Wheels	Shimano M525 disc hubs: Bontrager Ranger rims	Shimano MS25 disc hubs; Bontrager Ranger rims	Shimano Deore disc hubs; Bontrager Ranger rims	Shimano Deore dec hubs; Bontrager Ranger rims	Shimano M475 disc hubs, Bontrager Ranger rims
WHEELS	Tires	Bontrager Jones ACX, 26x2 7: 60 to Lfolding	Bontrager Jones ACX, 26x2.1": 60 toi, Tolding	Bontrager Jones ACX, 26ii2.17; 27 tpi	Bontrager Jones ACX, 26x2.1°; 27 tpì	Bontrager Jones ACX, 26x2.17; 27 tpi
	Shifters	SRAM X-7, 9 speed	SRAM X-7, 9 speed	Shimano Deore, 9 speed	Shimano Deore, 9 speed	SRAM X-5, 9 speed
	Front Derailleur	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	SRAM X-5
SAIN	Rear	SRAM X-9	SRAM X-9	Shimano Deore LX	Shimano Dégre LX	SRAM X-5
DRIVETRAIN	Crank	Shimano M521 Octalink 44/32/22	Shimano M521 Octaliris 44/32/22	Shimano M442 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Shimano M442 Octalink 44/32/22
ō	Casseffe	SRAM PG950 11-3-4.9 speed	SIEAAS PG950 11-34, 9 speed	SKAND PREPSU III-54.9 speed	584N PGP50 III-34 F sanut	SRAM PGPSD 30-24 9 speed
	Pedals	Shimano 505, clipless	Allos platform	Allas, platform	Alloy platform	Alves platform
	Saddle	Buntrager Race Basic	Elontrager Select FIT Basic	Buntrager Raige Basic	Bontrager Sele ctFIT Blasic	Bontragyer Race Basic
	Seatpast	Suntrager Select	Bentrager Select	Bontrager Sport	Bontager Sport	Bontragier Sport
COMPONENTS	Handlebars	Bontager Selvc 1, 25mm rise, 31 8min	Blontiager Sele ct. 25mm rise: 34.8 mm.	BemPagis: Select, 25mminist, 31/8mm	Bonfrage r Select, 25mm/rise, 318mm	Bontager Crowbar Sport, 25mm//se
MPO	Stem	Bontrager Seiscit, 7degree, 318mms	Bontrager Select 7 degree: 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bonkager Select, 7 degree, 318mm	Bontrager Sport, 10 degree
8	Headset	Alexidset Slimstak wite naviada idee bearings, studied	Afreadset Simstalk	Aheadset Slimstak: wise m-partedge locenings , skalled	Aneatte't Simstrik Witemi-bertridge-boodings, seeled	Ahrads et Simstak. w/semi-cantridge lacarings, seeled
	Brokesel	And July 3, hydraulic disc;	Avid Juicy & hydraulic ilise,	Shirmano M4 85, flydr aulic disc.	Shimuno M485, hydraulic disc; 260mm solors	Avid RF-5, meditaris of disc w/alog lever s

	100000000000000000000000000000000000000	NOV. SEC.				THE PROPERTY OF THE PARTY OF TH
	Model	4500	4500 WSD	4300 DISC	4300	4300 WSD
	Sizes	13, 16, 18, 19 5, 21, 22.5, 24	Women's 14, 16, 18*	13, 16, 18, 19.5, 21, 22.5"	13, 16, 18, 19 5, 21, 25 5"	Woolen's 14, 16, 18"
	Colors	Metalist Black/Silver or Matte Khaki Green/Matte Black	Light Green/Metallic, Black	Silver/Black Chiome	Matte Orange/Matte Warm Silver or Silver/Black Chrome	Light Purple/Pearl White
FRAMESET	Frame	Aligha Black Aluminum wirefernally relieved head tube, hydroloffikid Di-axial dawn tube, monostey saut stays, lorged disc. Isady disposts	Alpha Black Aluminum w/externally relieved head latte, hydrollaminal bi-axial down labe, monester seal stays, torged disk reliefly dropouts	Alpha Back Aluminum w/externally reflected treat facts, hydroformed by assa down time, manastay seat stays, torged disc ready deposits	Alpha Beack Automourn sefectionally remeded need tube, hydrologined bravial down tube, monustay scall stays, lorged disc rearly despects	Alpha Black Aluminum, w/exturnally relieved head title, hydrotormed means down tube, munostay seal staforced disc maily dropouts
	Front Suspension	BrekShox Darf 3 swjercload, lockout, aller steer\$6,100mm	RockShon Gest 3 W/prethad, lockeds, exclude spring weighs, alloy steerfs, 100mm	RST cita T6 w/preload, 100mm	RST GIJa TS w/prewad, 100mm	85T Gap TB w/purload, custom, approx weight, 100mm.
5,8	Wheels	Alloy front hub, Shimano KM30 INST hub: Bonizager Carrino rims	Allor front hub, Shimano RM30 rear hub; Sontrager Camino	Shimeno M65 disc hubs; Bostrager Ranger rims	Alloy front hub, Shirmano RM30 rear hub: Boressar Camino rens	Alloy front hub, Shimano RM30
WHEBS	Tires	Bontrager Jones A€X, 26x2 1°, 27 tpi	Buntrager Jones ACX, 26x21"; 27 tpi	Bontrager Jones ACX, 26x23", 27 toi	Bontrager Connection frail, 25x2.0°; 27 thi	incontrager Connection Trail 20x2.0": 27 to:
	Shifters	Shirtisno Allvio, 6 speed	Shimano Alivio, il speed	Simmans, EFSO, 8 speed	Shimano EF90, 8 spetid	Sermano EFs0, 8 syard
2.71	Front Derailleur	Smmano Acera	Singiano Acera	shimano c050	Shreane C050	\$timano Ĉ∂50
DRIVETRAIN	Rear Derailleur	Shintana Degre	Solniana Guera	Shimano Alivio	Signano Alivio	Snimano Alivio
DRIVE	Orank	Shimeno M341 #2/32/22	Signano M34i 42/32/22	SR Suntour XCC F102 42/34/24	SR Suntour XCC-T102 42/34/24	5R Suntour XCC: 1102 42/34/24
	Cassette	SRAM PG830 11-32, 8 speed	SRAM P0830 11-32, 8 speed	SRAM PG830 11-32, 6 speed	524M (16835 11-32, 8 spend	5RAM PG830 11-32, 8 Spord
	Pedals	Alloy platform	Alloy platform	Alloy pratform	Alay pistform	Alloy platform
	Saddle	Bontréger Select Basic	Bontrager Seleci FIT Basic	Bontrager Select Basic	Bont _{rai} ter Select Basic	Bontrager Scient FIT Basic
82	Sealpast	Bontrager Sport	Bontrager 5port	Bontrager Sport	Bont, ager Sport	Bontrager Sport
COMPONENTS	Hondlebars	Economiser Crowbar Sport. 25mm rise	Bentrayer Crowbar Sport, 25mm rise	Bentrager Cowmar Sport, 25mm rise	Bentrager Crowbat Sport, Schim use	Bontrager Crowbar Sport, 25mm (156
OMPC	Stem	Bontrager Sport, 10 degree	buntrager Sport, 25 ducree	Bontrégur Sport, 10 degree	Bont, ager Sport, 25 degrees:	Bontrage: Sport, 25 degree
ŏ	Headset	Aneagset Slimstak w/semi-cartridge bearings, sealed	Amandset Stirnstok w/semi-ca-midge barrings, sealed	A handsei Slimstak	Aheadset Slimstak w/semi_entrage bearingsaaed	Aheadset Slimerik
	Brakesel	Avid SD-3 Walloy levers	Av. 1 57-3 w/Tekiro adjustable reach	Sminario M419, Recharge at disc WShimano EFSO levers	Tektro V w/Shinnano EF50 levers	1-Liro V w/Shimano EF50 levers

		3 SERIES			
	Model	3900	3900 WSD	3700	3700 WSD
	Sizes	13, 16, 18, 19.5, 21, 22.5"	Women's 13, 16"	13, 16, 18, 19.5, 21, 22.5"	Women's 13, 16, 19,5"
ь	Colors	Matte Black/Matte Smooth Silver or Metallic Blue/Silver	Metallic Black/Grey	Trek Red/Pearl White or Matte Black/Matte Lava Black	Pearl White/Green
FRAMESET	Frame	Algina White Alvernam w/odernally releved head tries, an also down tube, disc competible dropoets	Sipha White Abarrace w/ceternally releved real table, briss of down tube, due compatible drapsor's	Alphy Write Aluminum w/esternally released near time, to asses flown tube, due compatible dropauts	Alpha White Aluminum w/esternally reflected heal tube, to-seed above labe, does compatible dropouts
	Front Suspension	SR Suntour XCT v2 w/srclaid, 80mm	SR Summer XCT V2 sworelead, custom sering weight, bomin	SR Suction M-2025, 63mm	SR Sundour M-2025, eastons spring weight, essential
WHEELS	Wheels	Alloy front hub, Shimano RM30 rear hup, Majanx 550 mins	Altoy front Hub, Shimano RM30 rear hub, Matrix 550 rims	Alloy hubs, Matrix 550 rims	Alloy hubs; Matrix \$50 rims
WHE	Tires	Bontrager Connection Train, 26x2 0-; 27 to:	Bontrager Connection trail, 26x2.0°, 27 (p)	Bontrager Connection Trail, 26×2.0	Bontrager Connection Trail, 26x2 0=
M	Shifters	Shimano EF5Q, 8 speed	Shimano EF5O, 8 speed	Shimano EF50, 7 spdPd	Shimane EFSD, 7 spread
	Frant Derailleur	Shimario C050	Shimano C050	Shimano COSI	Samanis COST
DRIVETRAIN	Rear Derailleur	Stontana Arena	Shimane Acera	Shimano Acera	этичало Агега
JRIVE	Crank	58 Suntabl XCC:1102 42/34/24	38 Suntour XEE-T102-43/34/24	58 5 miles XCC-T208 48/38/25	SR Suntour XCC:1:08 48/38/28
=	Cassette	SE/544 PG830 11-32, 8 speed	SRAM PGB30 11-32, 8 speed	Sunrace 13-34, 7 spare4	Serinisce 13-36, 7 pages 8
	Pedals	Nylvii platform	(Nyton platform	Prison platform	New platform
	Saddle	Contrager Approved	Bontrager Approximatily	Bontrager Approved	Sα Nesgen Approved F T
40	Seatpost	Bontrager Atonoval	Bordrager Approxed	Bostrager Approved	Bontrager Angroved
COMPONENTS	Handlebars	Bookager Approved, 30mm (54)	Bookinger Approved, 30 macrise	Bontager Approved, 30 per rise	3ontrage: Aptro ved, 30 nom rise
MPC	Stem	fingliagier Approved 25 degree	Bominige (Approved siO degre e	Bontagter Approved 25 degree	Bantisyer Approved, 40 days e
ŏ	Headset	Ahkada et Slimstak w/sech-cartridge (beakings, setaled	/4::case t Simple: v/semi-casedge bearing's, scaled	Almada et Slimstal: whe en-controller bearings, sealed	Aheadset Slimstak www.ens-carifridge bearings, sealed
	Brakeset	Teistro V w/Shiamano EF50 layers	Tek tro V w/Skimano (8/50) evers	Textro V w/Shimano EFSO levers	Tektro V w/Shimano EFFO levers

CYCLOCROSS

	Model	820	820 WSD	XO 2	XO 1
7	Sizes	13, 16, 18, 19 5, 21"	Women's 13, 16"	50, 52, 54, 56, 58, 60, 62cm	47, 50, 52, 54, 56, 58, 60, 62cm
	Colors	Matte Navy/Matte Bluegray or Gloss Black/Gloss White	Light Blue/Pearl White	Pearl White	Matte Onyx
	Frame	High tensile steel w/Cro-Moly seat tube	High tensile steel w/Cro-Moly seat tube	Alpha Black Aluminum	Alpha Slack Aluminum
	Front Suspension	SR Suntour M-2025, 63mm	SR Sunteur M-2025, custom spring weight, 63mm	Bontrager Satellite Plus, carbon	Bontrager Satellite Plus, Carbon
3	Wheels	Alloy hubs: Matrix 550 rims	Alloy hubs; Matrix 550 rims	Bontrager Race X Lite	Bontrager Race
1	Tires	Bontrager Connection Trail, 26±2.0"	Bontrager Connection Trail, 26x2.0*	Bontrager Jones CXR, 700x34c, lotding	Bontrager Jones CXR, 700x34c, folding
	Shifters	Shimano EF50, 7 speed	Shimano EF50, 7 speed	SRAM Rival, 10 speed	Shimano 105 STI, 10 speed
	Front	Shimano CO51	Shimano C051	SRAM Rivel	Shimana 105
Z	Rear	Shimano Acera	Shirnano Acera	SRAM Rival	Shimano 105
DRIVEIRAIN	Crank	SR Suntour XCC-T208 48/38/28	SR Suntour XCC-T208 48/38/28	Bontrager Race Lite CX 46/38	Bontrager Race CX 46/38
Ś	Cassette	Sunrace 13-34, 7 speed	Sunrace 13-34, 7 speed	SRAM OpenGlide 1070, 12-26	Shimano 105 12-27, 10 speed
	Pedals	Nyloe platform	Nylon platform	n/a	Shimano 505, clipless
	Saddle	Bontrager Approved	Bontrager Approved FIT	Bontrager Race Like	Bontrager Race Basic
	Seatpast	Bontrager Approved	Bontrager Approved	Bontrager Race X Lite ACC carbon	Bontrager Carbon
ENTS	Handlebars	Bontrager Approved, 30nm rise	Bontrager Approved, 30mm rise	Bontrager Race Lite VR, 31 8mm	Bontrager Select VR, 31.8mm
COMPONENTS	Stem	Bontrager Approved, 25 degree	Bontrager Approved, 40 degree	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Select. 7 degree, 31.8mm
8	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge beerings, sealed	Aheadset w/cartridge bearings, integrated, sealed, alloy	Aheadset w/kartridge bearings. integrated, sealed, alloy
	Brakeset	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Avid Shorty 4 cantilevers w/SRAM Rival levers	Avid Shorty 4 cantilevers w/Shimano 105 STI levers

		SESSION	JACK			THE PERSON NAMED IN
	Model	SESSION 10	JACK 2	JACK 1	Car Despelo	A PARTIE TO
1	Sizes	15.5, 17.5, 19.5*	S, M, L	S, M, 1		
	Colors	White (Irame available)	Gtc//s Orange	Gioss Navy		
FRAMESET	Frame	Alpha Red Alumioum w/RI Gravity Tuned Suspension oversized scaled bearings, CTE, 15* head hube. ISOsom rear axie spacing. 24 from rear wheel stavel	Alpha White Aluminum	Alpha White Alaminum	Jin	
Œ	Front Suspension	Manitou Ravis Triple Intrinsic w/rebound, compression, 203mm	Monitou Slate Comp FFD, 100mm	RST Gills T7 w/fpreload, NJ/Jamm		
	Rear Suspension	Manitou Revax ISX coil w/preload, Imminsic pressure, volume, rebound, compression	n/e	0/0		
S	Wheels	Bontrager King Earl w/150mm rear	Shimano M475 disc hubs, Sun Oitch Witch rims	Strenano M475 disc hubs: Bentrager Carriero rims		
WHEELS	Tires	Bontrager Big Earl, 26x2.67; 60 tpi	Bontrager Earl, 26x2.47, 27 toi	Bontrager Earl, 26x2.4*, 27 tp		
	Shifters	SRAM X-0, 9 speed	Shimano Allvip, 8 speed	Shimano ££50, 8 speed		
	Frant Derailleur	e 13 SRS Chain Retention System	Shimana Allina	Shimano C050		
RAIN	Rear Derailleur	SRAM X-D	Shimano Alivio	Shimano Acere		
DRIVETRAIN	Crank	Bontrager King Earl 38T vs/e.13 5#3 chainguide	Borrbages Big Earl 42/32/22	Shimano M341 #2/32/22		
۵	Cassette	SPAM PG970 11-34, 9 speed	SRAM P6830 15-32, 8 speed	\$RAM PG830 11-32, 8 speed		
	Pedals	Bormager King Earl platform	A lloy platform	Alloy platform	Part of Part of Part	
	\$addle	Bontrager Big East	Bontrager Big Earl Jump	Bontrager Earl Jump Basic		
s	Seatpost	Bortrager King Earl	Bontrager Snort	Bontr-ager Sport		
COMPONENTS	Handlebars	Bontrager King Earl, 50mm rise, 31.8mm	Brantrager Big Erd, 50mm rise, 31.8mm	Bontrager Earl, 23mm rise, 318mm		_
MPO	Stem	Manitou II2 integrated stem, 31.8mm	Bontrager Earl 10 de gree. 31 Smm	Sontrage Sart, 10 degree, 31 8mm		
0	Headset	Cane Creek Double XC w/cartridge bearings, 15" top, 1725" bottom	A headset w, semi-cartridge bearings. Crs-Moly	Aheadist w/serar-cartridge basings, sealed		
	Brakeset	Avid July 7, hydraulis diss. 203mmrotors	Hayes M.C-1, mechanical disc, 8" front, 6" rear rotor	Tektro V w/Shimano EFSO levers		

Geometries		With Up	Selluoi Nome she	A. hood angle	8.5001 On916	C. offective	Stoyin	6. Bottom	f. Office,	G. W. 1988.	hou	slond ores
FUEL EX	ruel EX 9.5 ruel EX 9.0	\$ 15.5	39.4 / 15.5	69.0"	71.5	55.3 / 21.7	430/10.9	33.5 / 13.2	40/16	1057/416	8.5/3.4	71.0 / 28 ē
	Fuel EX B	M 175	#45/195	69.0"	71.5"	59.1 / 23.3	43.0 / 16.9	33.5 / 13.2	4.0/16	1096/431	8.5 / 3.4	72.0 / 28 3
	puel E k 7	1 105	420 / 18.5	69.0*	715"	62.8 / 24.7	43.0 / 16.9	33.5 / 13.2	4.0 / 1.6	113.4 / 84.6	85/34	73.3 / 28 9
	Fuel EX 6.5. Fuel EX 5.5	XL 31.5"	50.8 / 200	69.0	755*	645/254	43 0 / 169	335/132	1.0/16	751/453	8.5 / 3.4	75.2 / 29.5
	Fuel EX B WSD	S 14°	30.87 M.5	69.0"	71.5"	52.5 / 20.7	43.0 / 16 9	335/132	40/1.6	1029/405	85/3.4	79.8/27.9
	Fuei IX 5 WSD	M 16"	20.6 / 16.0	69.0"	71.5	54.5 / 21.5	430/169	33.5/13.2	4.0 / 16	1046/413	85/34	72.5 / 28.7
	Semina o	1 18"	43.2 / 17.0	67.0	71-5*	58.5 / 23.0	43.0 / 16.9	335/132	4.0 / 16	1089/428	8.9/34	728/283
REMEDY	Remody 3	N 17.5"	40.5 / 15.9	67.0"	72.0	55.5 / 21.9	43.2 / 17.0	35.5/M.0 36.5/M.0	4.0 / 1.6	1095/431	9.8 / 3.9	74.0 / 29.1
V	Remedy /	L 19.5	47/0 / 18.5	67.0*	72.0*	61.5 / 24.2	43.2 / 17.0	35.5/140	10/16	115.7 / 45.6	9.8 / 3.9	76.0 / 29.9
	-	XL 21.5"	508/200	67.0"	72.0	64.4 / 26.4	43-2 / 17.0	35.5 / 14.0	40/16	118.8 / 46.8	9.8 / 3.9	780/307
	6961 379	\$ 15.5"	39.4 / 15.5	69.0	72.0*	56.7 / 22.3	12.4 / 167	314/124	5.1 / 2.0	106.1741.8	8.6 / 3.4	72.8 / 28.7
SITE		# 17.5°	445/105	69.0	72.0	58.0 / 22.8	424/167	314/124	5.1 / 2.0	1075/423	8.6/34	76-0 / 29.9
1		L 19.5" XL 21.5"	395/195	69.0"	726*	63.8 / 25.1	42.4 / 16.7	31.4 / 12.4	51/2.0	1113/43.8	85/3.4	78.7 / 31.0
E IO GROUND	69er Single Speed	š 15.5°	394/166	70.0*	23.0	57.5 / 22.6	42.4 / 16.7	30.7 / 12.1	39/15	113-3 / 44.6	9.0 / 3.5	81.6 / 32.2 75.6 / 29.8
69ER	are, single speed	M 17.5	44.4 / 175	69.0"	730	58.8 / 23.1	121/16.6	30.7 / 12.1	47/19	108.5 / 42.7	8.9 / 3.5	75.6 / 19.8
		1 19.5"	49.5 / 19.5	690°	73.0	67.5 / 24.6	471/16.6	30.7 / 12.1	4.7/19	112.2 / 44.2	8.9/35	78.3 / 30.8
		xii. 21.5°	54.6 / 21.5	69.0	72.5	64.6 / 25.4	42.1 / 16 6	30.7 / 12.1	4.7/1.9	1137/448	89/35	81.4 / 32.0
	Top Fuel 69er	\$ 15.5	37.7 / M.8	69.0"	725	553/218	42.7 / 16.8	32.7 / 12.9	5.1 / 2.0	105.8 / 41.7	8.7 / 3.4	737/78.8
0-1		L 19.5°	40.2 / 15.8	69.0*	72.5	59.1 / 23.3	427/168	32.7 / 12.9	61/20	109.6 / 43.2	8.7/34	74.1 / 29.2
111/		L 19.5"	45.3 / 17.8	69.0"	72.51	64.5 / 25.4	42.7/16.8	32.7/12.9	51/20	1134 / 44.7	87/3.4	77.1 / 30.4
D. I TO GROUND	Top Fuel 99 SSL	5 15.5"	37.7 / td.h	70.01	72.5"	55.3 / 21.8	42.7 / 16.8	32.7 / 12.9	39/15	1047/412	73/29	70.9 / 27.9
TOP FUEL	Top Fuel 98	M 175"	40.2 / 15.8	70.0"	725	591/233	127/16.8	32.7 / 12.9	39/15	108.6 / 42.8	73/29	72.5 / 28.5
	Top Fuel 8 Top Fuel 7	L 19.5°	45.2 / 16.8	70.0*	72.5	62.8 / 24.7	427/168	32.7 / 17.9	39/1.5	1124/442	7.3 / 2.9	75-8 / 29.8
		XL 21.5	29.1 / 19.3	70.0	72.5	845/25A	427/168	32.7 / 12.9	39/15	1142/450	7.3 / 2.5	78.5 / 30.9
	Top Fuel 9.8 WSD	s 15.5°	37.7 / 14.8	70.0*	725	55.3 / 71.8	477/16.8	327/12.9	40/1.6	104.7 / 41.2	7.3 / 2.9	70.9 / 27.9
		M 17.5"	49 2 / 15 B 57.9 / 22.8	70.0"	72.5	591/23.3	427/16 H	22.7 / 12.9	4.0/16	108.6 / 42.8	7.3 / 2.9	72.5 / 28.5
	Elite 9.9 SSL	5 16.5	394/15.5	70.9	73.6	62.8 / 21.7	42.4 / 16.8	29.6 / 11.9	4.0/1.6	1030/406	7.3 / 2.9	75.8 / 29.8
	Elite 9.8	M 17.5"	A1.9 / 16.5	70.9"	73.1"	58.8 / 23.1	42.4 / 16.7	796/11.7	39/15	1003/419	74/2.9	73.9 / 29.1
	Elite 9.7	1 10.5	47.0 / 18.5	70.9"	73.1"	62.6 / 34.6	45.4 / 16.7	29.6 / 11.7	39/15	110.2 / 43.4	7.4/29	77.0 / 30.3
EUTE		XL 21.5"	50.5 / 20.0	70.9"	72 %	648/254	424/16.7	229/118	3.9 / 15	1118/440	7.4 / 2.9	79.8 / 31.4
	8500 8000	5 15.5"	304/155	71.0"	73.5	55.0 / 21.7	424/167	292/117	4.0 / 1.6	1029 / 405	72/28	713/381
O E IO GROUND	6700	M 17.5"	445/17.5	71.0"	73.0	58.5 / 23.0	42.4 / 16.7	29.77.11.7	4.0 / 1.6	1063/419	7.2 / 2.8	74 2 / 29.2
	6500 6000	21.5"	495/195 546/215	71.0"	72.5"	62.5/24.6	42.4 / 16.7	29.7 / 11.7 30.0 / 11.8	40/16	1113/438	7.2 / 2.8	774/30.6
	6700 WSD	5 14"	356/140	70.0*	75.0	518/204	424/167	28.8 / 11.5	4.0 / 1.6	102.0 / 49.2	7.9 / 3.1	692/777
	6500 WSD	M 16	40.5 / 16.0	70.0*	74.0	53.2/20.9	424/167	28.9 / 11.4	4.0/16	1624/40.3	79/31	717 / 28.2
		107	457/16.0	30.01	73.5	563/72.7	124/16.7	29.3 / 115	4.0 / 1.6	105.3 / 41.4	79/31	75.0 / 29.5
HARDTAIL SIZE G A XO 2, XO 1	4500 4300 Disc	X6 13,	330/120	70.01	74-5	52.5 / 20.7	43.0 / 16.9	287/113	3.8/15	1023 / 40.2	8.1 / 3.2	89.5 / 27.A
	4300 030	S 16"	40.67 16.0	70.5	73.5	55.5 / 21.9	43.0 / 16 9	29.1 / 11.5	38/15	1062/410	78/3.1	73.5 / 29.1
		M 18"	49.5 / 18.0	70.5"	73.6"	585/230	430/169	293/115	38/15	1059 / 417	7.6 / 3.1	775/306
		L 31"	533/210	78.5"	73.0	59.5 / 23.4	43.5 / 16.9	293/115	38/15	106.9 / 42.1	7.8 / 3.1	80.2 / 31.6
		1 72.5	577/275	70.5	775'	60.5 / 23.8	43.0 / 16.9	29.5 / 11.6	3.8 / 1.9	1086/427	78/31	86.0 / 33.9
		gL 24*	610/340	70.5	72.0	61.5 / 28.7	43.0 / 169	297/11.7	3.8 / 1.5	1091/429	7.8 / 3.1	89.0 / 35.0
	4500 WSD	5 16"	35.6 / 14.0	70.0	75.0	51.8 / 20.4	430/169	28.9/114	3.8/15	1023/40.3	78/31	70.7 / 778
	4300 WSD	M. 16"	43.7 / 16.0	70.0	74-0	53.2/216	43.0 / 16.9	28.9/11.4	28/15	102.7 / 40.4	7.8/31	73.4 / 28.9
B E TO GROUND F	3000	1 15	457/180	70.01	73.5"	56.3 / 22.2	43.0 / 16.9	29-3 / 11.6	38/1.5	1055/415	7.8 / 3.1	767/307
	3900 3700	\$ 16"	33-0 / 13-0 40,6 / 16.0	70.5"	73.5	525/207	43.0 / 16.9	29.7 / 11.5	38/15	101.9 / 40.1	78/31	65.4 / 25.7 70.6 / 27.8
	820	M 18"	457/180	70.5"	73.5"	57.0 / 72.4	430/169	293/115	3.8/15	165.7 / 41.6	78/31	74.6 / 29.4
		M 19.5	49.5 / 19.5	70.5"	73.0	58.5 / 23.0	43 0 / 16.9	29.3 / 11.5	3.8 / 1.5	106.8 / 42.0	7.8 / 31	776/306
		1 21"	53.3 / 21.0	70.5"	73.0	59.5 / 23.4	430/160	29.3 / 11.5	38/15	1079 / 42.5	78/31	80.7 / 31.8
		L 22.5"	57.2 / 22.5	70.5"	72.5	605/238	43.0 / 16.9	295/116	3.8 / 1.5	108.4 / 42.7	7.8 / 3.1	83.9 / 33.0
		XL 24"	61.0 / 24.0	70.5"	72.0	61.5 / 21.2	43.0 / 169	29.7 / 11.7	3.8/15	108.9 / 47.9	7.8 / 31	57.0 / 34.3
SESSION COMPANY A SERVICE OF THE TOTAL PROPERTY OF THE TOTAL PROPE	3900 WSD 3700 WSD	5 16°	49.6 / 16.0	70.5"	74.0	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5 3.8 / 1.5	101.9 / 40.1	7.8 / 3.1	59.6 / 23.1 59.2 / 23.3
	820 WSD	M 19.5"	495/195	70.5	73.0	58.0 / 22.8	43.0 / 16.9	29.3 / 11.5	38/15	1063/419	7.8 / 3.1	596/23.5
	XO 2	và alem	44.0 / 18.1	71.5"	76.5	EA2/202	43.0 / 16.9	27.6 / 10.8	4.5/19	224/372	6.8/77	701/392
	XO 1	X\$ 50cm	48.2/195	72.0*	75.1	51.7 / 20.3	43.0 / 16.9	274/168	4.5 / 1.8	996/392	6.5 / 2.6	75.7 / 29.8
		\$ 52cm	496/19.5	721'	74.7"	52.8 / 20.8	43.0 / 169	27.4 / 10.8	45/13	100.3 / 39.5	65/26	76.7 / 30.2
		§ 54cm	50.9/;100	72.2"	74.2"	53.9 / 21.2	436/169	274/194	45/18	100.9 / 39.7	6.4/25	777 / 30.6
		M 56cm	594/210	723'	73.6°	55.8 / 22.0	43.0 / 16.9	27.6 / 10.9	45/1.8	102.3 / 40.3	6.4/25	80.1/3/5
JACK		L 60cm	582/229	72.4°	72.8	57.8 / 22.8 59.5 / 23.4	43.0 / 16.9	27.6 / 10.9	4.5/1.8	103.6/408	63/25	821/32.3 \$41/33.1
		XI 62cm	69.8 / 23.9	72.5"	72.5*	61.2 / 26.1	43.0 / 16.9	276/109	4.5 / 1.8	1061/418	6.3/2.4	853/339
	Session IO	\$ 15.5*	\$56/:213	66.0*	54.0"	55.6 / 21.9	434 / 171	372/147	4.3/17	113.2/44.6	10.5/4.1	64.5/254
		M 17.5°	57.9 / 22.8	66.0	€40.	57.9 / 22.8	434/171	372/147	43/17	114.9 / 45.2	105/4.1	64.5 / 25.4
		j. 19"	61.3 / 24.1	66.0"	64.01	61.3 / 24.1	43.4 / 171	37.2/14.7	43/17	177/463	10.5 / 4.1	645/25.4
SEE &	Jack 2 Jack 1	\$ 13"	33.6 / 13.0	68.31	710'	533/210	41.2/16.2	32.3 / 12.7	4.0 / 16	103.1 / 40.4	8.0 / 31	45.9 / 26.2
0. 10 SACUMO "F		M 15°	43.2/17.5	68.3"	71.0"	55.9 / 22.0	41.2 / 16.2	323/127	4.D / 1.6	1073/422	8.0 / 3.1	67.4 / 26.5
	All dimensions and in			-	710	2111 1 224	11.63 10.6	32.3 / 12.7	40/16	101/433	3.0/31	59.7 / 274
	will 3 0.1.		- IT III- THE UTILET WIS	. 3 3.23								

All dimensions are in continuous/inclus interso otherwise stated Superimodels are not assimble in all rivos. "15 5" size available as frame only.

Trek Limited Lifetime Warranty

Trek Bicycle Corporation provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Trek dealer. Trek Bicycle Corporation likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Part and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Trek dealer. Proof of purchase is required. A warranty registration card must be completed and received by the Trek Bicycle Corporation before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Trek distributor or Trek dealer within the country of purchase. The warranty does not cover normal wear and lear, improper assembly or follow up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse or neglect, or modification of the frame, fork or components.

Trek Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Trek reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment. Off road bike weights based on medium or 16 inch frame size. Road bike weights

All Tiek bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Trek extends a Lifetime Warranty on every frame.

©2007 Trek Bicycle Corporation. All rights reserved. Trek/Bontrager are registered trademarks of Trek Bicycle Corporation. Shimano. RockShox and Nike are registered trademarks of Shimano American Corporation, SRAM Corporation and Nike Inc., respectively. U.S. Pat. Nos. 5,624,519, 5,629,668; 5,685,553; 5,715,544, 5,734,142; 5,931,544; 6,045,470, 6,092,433; 6,109,638; 6,164,676; 6,203,042; 6,270,104; 6,497,042, 6,572,249; 6,637,041; 6,749,212 and others pending.

Oesigned by Hanson Dodge Creative. Contributing photographers: Paul Johnson, John Laptad, Sterling Lorence, John Norris, Nathan Osterhaus, Bradley Rochford, Mark Shimahara/BikeZen.com, Graham Watson, Geoff Waugh.

EUROPEAN CENTRAL OFFICE Bikeurope B.V. Basicweg 12 3821 BR Amersloort The Nelherlands SUBSIDIARIES = Austria Bikeurope B.V. / Trek Austria Tel: +43 (0) 820 820 121 Fax: +43 (0) 820 820 141 🚟 Benelux Bikeurope 8.V. Tel: +31 (0) 33 45 90 040 Fox: +31 (0) 33 45 65 363 🚟 China Trek Bicycle Corporation Tel: 86-10-8459-5392 Fox: 86-10-8459-5394 🚟 Denmork Bikeurope 8.V. / Trek Denmork Tel: +45 70 27 15 40 Fox: +45 70 27 15 45 💵 France Bikeurope 8.V. / Trek France Tel: +33 (0) 8 25 00 44 04 Fax: +33 (0) 8 25 00 05 32 E Germany Bikeurope 8.V/Trek Deutschland Tel: +49 (0) 180 350 7010 Fax: +49 (0) 180 350 7015 💽 Japan Trek Jopan Corporation Tel: +81 (0) 78 413 6606 Fax: +81 (0) 78 413 6607 🚾 Spain Trek Bicycle S.L. Tel: +34 (0) 91 848 95 60 Fox: +34 (0) 91 843 51 71 [55] Switzerland Trek Fohrrod GmbH Tel: +41 (0) 44 824 85 00 Fox: +41 (0) 44 824 85 55 [55] United Kingdom Trek Bicycle Corporolion Ltd. Tel: +44 (0)1 908 28 26 26 Fax: +44 (0)1 908 28 06 90 TREK DISTRIBUTORS Argentina Bike Sports S.R.L Tel: 5411 4797 6562 Fax: 541147976562 Fill Aruba Tri-Bike Arubo Tel: 297 5 852 734 Fox: 297 5 850 609 🔣 Australia Trek Bicycles Australia Ply. Ltd. Tel: 61 2 8832 6900 Fax: 61 2 8832 6901 📜 Bahrain Skole Shack Tei: 973 17 697176 Fax: 973 17 404792 🔣 Barbadas Toylor's Cycle Centre Lld Tei: 246 426 3421 Fax: 246 4362142 Belarus Velacenter Tel: 375 172 270 187 🔤 Belize Bruce Cycling Club Bike Shop Tel: 501 22 37979 🎫 Bermuda Winner's Edge Tel: 441 295 6012 Fox: 441 292 1904 🧮 Bolivia Bicicar Tel: 591 2 241 2291 Fax: 591 2 241 6669 🚍 Bonaire ECO Experience N.V. Tel: 599 717 2227 Fax: 599 717 2227 🔯 Brazil International Sports do Brazil Lído, Tel: 55 19 3886 7270 Fax: 55 19 3846 6133 🛜 Brunei Treknalogy Bikes 3 Tel: 65 6275467 Fax: 65 62754676 Bulgaria Velomanio Ltd. Tel: 359 2 812 7060 Fax: 359 2 812 7061 🛄 Canary Islands Adolfo Suonzes S.A. Tel: 34 928 483050 Fax: 34 928 483777 🚾 Cayman Islands Uncle Bill's Home Improvement Centre Tel: 345 949 7601 Fox: 345 949 8055 🔙 Chile Sparta Deportes Limitado Tel: 56 2 560 4274 Fox: 56 2 5572850 🚃 Colombia Bike House Tel: 574 262 3223 Fox: 574 262 2880 🗐 Costa Rica Motas Pazos Tel: 506 291 1667 Fox: 506 291 1665 🏬 Creatio Rog Jomo Tel: 385 1 2304 331 Fax: 385 1 233 9337 🛃 Curacao Visto Bike Tel: 5999 869 5582 Fax: 5999 465 9677 ⊡ Cyprus Gaadlanes Lld. Tel: 357 22 35 6673 Fax: 357 22 🚳 1027 🔤 Czech Republic Bretton Ltd Tet: 420 2 679 1 2679 Fox: 4202 72926464 👺 Dominican Republic Plonel Bike Tel: 809 535 2152 Fox: 809 535 2152 Fox: 809 535 2152 S.A. Tel: 593 2 247 2168 Fox: 593 2 248 3914 🚾 El Salvadar Mayor, S.A. DE C.V. Tel: 503 241 0410 Fox: 503 2265 7888 🔙 Estonia Rodemor Tel: 372 651 2910 Fox: 372 655 0120 Fiji Stinger Bicycles Limited Tel: 679 670 7301 Fox: 679 6707 301 📻 Finland Oy Duell Bike Center Ab Tel: 3:88 6 322 7500 Fox: 358 6 322 2231 🔼 French Polynesia Tohlti Sport - Yel Sing Tel: 689 425 352 Fox: 689 413 336 Greece Active Zone Network Tet 30 210 9612929 Fox: 30 210 9612520 Grenada Rhell Doowell Tel: 473 440 5473 Fox: 473 444 4816 Guam MTB Outliflers Tel: 671 477 2453 Fox: 671 472 3184 🚺 Guatemala Novosport Tel: 502 2474 26 89 Fox: 502 2474 2691 🔤 Handuras Comercial Lo Poz Tel: 504 238 5027 Fox: 504 238 5027 🛂 Hong Kong Chung Yung Cycle Co. Tel: 852 2670 3639 Fox: 852 2679 5602 🚞 Hungary Genomed Kereskedelmi KFT Tel: 36 1 331 3184 Fox: 36 1 473 1686 📕 loeland Ominn-Hyal ehl Tel: 354 588 9890 Fax: 354 588 9894 India Firefox 8ikes Pvl. Ltd. Tel: 91 120 4357301 Fox: 91 120 4357303 💻 Indanesia Treknology Bikes 3 Tel: 65 6275467 Fox: 65 62754676 🚺 Ireland Centro Limited Tel: 353 1 456 7516 Fox: 353 1 456 6463 🖾 Israel Cycle Troding Company Ltd Tel: 972 9 9513 010 Fox: 972 9 9509 783 💵 Italy Camor Italia SRL Tel: 39 035 302 502 Fox: 39 035 300 747 Kozokhston Intelli Sports Ltd. Tel: 7 3272 937 277 Fox: 7 3272 921 333 Kenyo The Rift Volley Adventure Group Tel: 254 733 745518 💹 Karea Spo-World Tel: 82 2 3444 9394 Fox: 82 2 3444 9414 Kuwait Extreme Sports Co., L.L.C. Tel: 965 5755898 Fox: 965 2542666 🚍 Latvio Velosports StA Tel: 371 729 3517 Fox: 371 729 3518 Lebanon Blue Mountain Sart Tel: 961 9 637144 Fox: 961 9 637144 📻 Lithuanio Egmindo UAB Tel: 370 232 53081) Fox: 370 5 232 3080 Macedania Crossmok Dooel Tel: 389 47232068 Fax: 389 47232068 🛍 Molaysia Treknology Bikes 3 Tel: 65 6275467 Fax: 65 62754676 🍱 Malta Mogri Cycles & Spares Tel: 256 21 414399 Fox: 256 21 436377 💽 Maxico Power Distribution SA de CV Tel: 52 81 8476 4560 Fax: 52 81 8 340 1275 Nevis Wheel World Cycle Shop Tel: 869 469 9682 Fox: 869 469 9682 💷 New Caledonia Royal Moiors SA Tel: 687 28 59 12 Fox: 687 28 63 20 🔳 New Zealand Cycle Sporl NZ Lld Tel: 64 6 348 8029 Fox: 64 6 348 4768 📒 Norway Foss Sykler AS Tel: 47 22 38 62 00 Fox: 47 22 38 62 10 📰 Panoma Motorsports Ponomo, S.A. Tel: 507 236 0852 Fox: 507 236 6140 Poraguay Engribike S.A. 💶 Peru Best Bikes & Fitness Tel; 51 | 411 441? Fox: 51 | 421 | 1205 💹 Philippines 3T Techno Turbo Troding Tel: 632 951 4457 Fox: 632 431 1769 🚃 Poland S.S.C. Arlykuly Sportowe SP.ZO.O Tel: 48 71 3431539 Fox: 48 71 3725448 💹 Portugol Bicimox Arligos Desportivos LDA Tel: 351 244 553 276 Fox: 351 244 553 187 🧮 Puerto Rico Seomount Bicycle Distributors Tel: 787 763 4369 Fox: 787 765 6520 🔳 Qatar Skate Shock Tel: 943 17 697176 Fox: 973 17 404792 💵 Romania S.C. Surmont Sport S.R.L. Tel; 407 882 66530 Fox; 407 131 36981 Russia Sportex Tel; 7 926 206 43 56 Fox; 7 926 200 76 61 Senegal Bomthi Sports Tel; 221 822 55 67 Fox: 221 822 13 72 💹 St. Kilts Free Wheelers Tel: 869 466 3912 Fox: 869 466 3912 🚟 St. Maarten Tri-Sport N.V. Tel: 59954 43462 Fax: 59954 43928 St. Vincent Sailor's Cycle Centre Tet: 784 457 1712 Fax: 784 456 2821 🔤 Soudi Arabio Skale Shock Tet: 973 17 697176 Fox: 973 17 404792 💳 Singapare Treknology Bikes 3 Tel: 65 6275467 Fox: 65 62754676 🔤 Slavakia KCK Cyklosport Mode S.R.O. Tel: 421 862 549 2200 Fox: 421 86 549 1056 🚞 Slovenio Bess-Pro Morkel Tet: 386 61 274 135 Fox: 386 61 1256 1628 🖿 Sauth Africa Ust Fun Cycling Tet: 27 11-405-3300 Fox: 27 11-405-3361 📰 Sweden Motorfirmon Holger Dualis A8 Tel: 46 31 72 76 300 Fax: 46 8 36 26 40 💷 Tahtiti Tohiti Sport - Yel Sing Tel: 689 425 352 Fox: 689 413 336 💹 Tariwon Speed High Co. Ltd. Tel: 886 2 2725203:5 Fax: 886 2 23457475 Tonzania Adventure Spart & Leisure Tel: 255 27 250 9706 Fox: 255 27 250 9706 📰 Thailand Probike Co., Ltd. Tel: 662 254 1077 Fox: 662 254 1078 🜃 Tortolo Lost Stop Sparts Center Ltd. Tet: 284 494 0564 Fox: 284 494 0593 📉 Trinidad Geronimo's Cycles Tet: 868 622 2453 Fox: 868 622 2453 💹 Turkey Alo1in 8iciklet Tel: 90 212 244 47 15 Fox: 90 212 249 69 50 Ukraine Velolux Company Tel: 380 443 325090 Fox: 380 444 557123 🔙 Linited Arab Emirates Direct Trading Est. Tel: 971 4 4076641 🔳 U.S.V.I. Stamino Sports Tel: 340 719 6749 Fax: 340 773 7400 💹 Uruguay Bitper S.A. Tel: 596 2 708 2498 Fox: 598 2 401 2514 🚃 Venezuela Bike Pro Com C.A. Tel: 58 212 991 4744 Fax: 58 212 991 4356 Vietnam Storbikes Co., Ltd. Tel: 84 42130302 Fox: 84 47225040



WE PRINT OUR CATALOGS ON ONLY FOREST STEWARDSHIP COUNCIL (FSC) CERTIFIED PAPER

FSC certification ensures that the paper in our catalogs contains fiber from well-managed and responsibly harvested forests. The goal is to shift the market to eliminate habital destruction, water pollution, and displacement of indigenous peoples. This catalog meets FSC's strict environmental standards.

